Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	90	motor and storage and unit and constant and speed and carriage and temperature and parameter\$1 and print\$2 and feedback and PID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/01 09:57
L2	132	motor and storage and (control adj3 unit) and (constant adj3 speed) and carriage and load and temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/01 11:11
S1	13	"5748206"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/28 11:38
S2	15	("4459050" "4777609" "5310272" "5439301").PN. OR ("5748206").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/28 12:01
S3	22	motor and storage and (control adj3 unit) and (constant adj3 speed) and carriage and PID and temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/29 17:38
S4	173	motor and storage and control and constant and speed and carriage and PID and temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/29 09:29
S5	127	motor and storage and control and constant and speed and carriage and PID and temperature and parameter\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/28 12:29
S6	18985062	@pd < "20020204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/30 11:25
S7	4	S6 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/28 12:23
S8	123	motor and storage and unit and constant and speed and carriage and PID and temperature and parameter\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/28 12:45
S9	2	("2002/0172510").URPN.	USPAT	OR	ON	2005/03/28 12:35

			· · · · · · · · · · · · · · · · · · ·			
S10	5	("4709247" "4709248" "5411340" "5748206").PN. OR ("6042281").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/28 12:44
S11	920	motor and storage and unit and constant and speed and carriage and temperature and parameter\$1 and print\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/28 16:03
S12	25	S11 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/28 12:46
S13	5	("4709247" "4709248" "5411340" "5748206").PN. OR ("6042281").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/28 13:21
S14	102	S11 and pid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/28 13:24
S15	22	("20020171702" "20030095354" "4146922" "4490796" "4524364" "4862284" "4869610" "4988935" "5122003" "5207520" "5325028" "5331264" "5559412" "5781451" "5804941" "5998956" "6014285" "6065830" "6114825" "6429996" "6498698" "6554395").PN. OR ("6823132").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/28 13:28
S16	12	("4429268" "4641073" "4642544" "4710691" "4869610" "5412302").PN. OR ("5998956"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/28 13:37
S17	3	motor and storage and unit and constant and speed and carriage and temperature and parameter\$1 and print\$2 and open\$1loop and closed\$1loop and feedback	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/28 16:06
S18	0	motor and storage and unit and constant and speed and carriage and temperature and parameter\$1 and print\$2 and open\$1loop and closed\$1loop and feedback and PID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/28 16:06
S19	0	motor and storage and unit and constant and speed and carriage and temperature and parameter\$1 and print\$2 and closed\$1loop and feedback and PID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR `	ON	2005/03/28 16:06

S20	90	motor and storage and unit and constant and speed and carriage and temperature and parameter\$1 and print\$2 and feedback and PID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/01 09:57
S21	492	motor and storage and unit and constant and speed and carriage and temperature and parameter\$1 and print\$2 and feedback	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/28 16:55
S22	9	S21 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/28 16:09
S23	102	motor and storage and unit and constant and speed and carriage and temperature and parameter\$1 and print\$2 and pid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/28 16:17
S24	10	carriage.ab. and motor and storage and pid and feedback and control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/28 16:19
S25	60	carriage and motor and storage and pid and feedback and control and printer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/28 16:20
S26	87	printer and motor and storage and unit and ((constant or fixed or consistent or invariable) with speed) and carriage and temperature and parameter\$1 and print\$2 and feedback	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/28 17:15
S27	162	pid and motor and control and carriage and printer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/28 17:57
S28	3	("6040670" "6189993").PN. OR ("6619778").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/28 17:20
S29	3328	318/696.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/28 18:07

S30	2409	motor and control and pid and	US-PGPUB;	OR	ON	2005/03/28 17:59
		speed and constant and parameter\$1	USPAT; USOCR; EPO; JPO; DERWENT			
S31	66	S30 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/28 17:59
S32	393	318/618.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/28 18:07
S33	0	S29 and S6 and S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	. 2005/03/28 18:08
S34	0	S32 and S6 and S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/28 18:08
S35	2	"5998956".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/29 09:27
S36	378	(constant adj3 speed) and motor and (carriage adj3 driv\$3) and parameter\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/29 10:45
S37	18985062	@pd < "20020204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/29 09:29
S38	7	S36 and S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/29 09:30
S39	547	(constant adj3 speed) and motor and (carriage adj3 driv\$3) and temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/29 09:44

S40	13	S37 and S39	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	ON	2005/03/29 09:44
S41		(US-20010035724-\$ or US-20010043242-\$ or US-20020001008-\$ or US-20020007618-\$ or US-20020008722-\$ or US-2002008724-\$ or US-20020171702-\$ or US-20020172510-\$ or US-20030146952-\$ or US-20030146952-\$ or US-20040003738-\$ or US-20040041854-\$ or US-200400118309-\$).did. or (US-4490796-\$ or US-5310272-\$ or US-5207520-\$ or US-5465183-\$ or US-54939301-\$ or US-5465183-\$ or US-5781451-\$ or US-5804941-\$ or US-5889534-\$ or US-5804941-\$ or US-5889534-\$ or US-598729-\$ or US-6102519-\$ or US-6114825-\$ or US-6102519-\$ or US-6129464-\$ or US-6354691-\$ or US-6356710-\$ or US-6354691-\$ or US-6356710-\$ or US-6354802-\$ or US-6554395-\$ or US-6565184-\$ or US-6619778-\$ or US-6565184-\$ or US-6619778-\$ or US-6729712-\$). did. or (US-6805426-\$ or US-6823132-\$ or US-6838855-\$). did.	DERWENT US-PGPUB; USPAT	OR	ON	2005/03/29 09:51
S42	23	S41 and pid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/29 09:51
S43	36	(constant adj3 speed) and motor and (carriage adj3 driv\$3) and temperature and PID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/29 16:29
S44	1	S37 and S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/29 10:46

S45	2	"20020172510"	US-PGPUB;	OR	ON	2005/03/29 16:30
			USPAT; USOCR; EPO; JPO; DERWENT			·
S46	13	"5748206"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/29 17:38
S47	2	"5998956".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/29 17:38
S48	258	motor and storage and (control adj3 unit) and (constant adj3 speed) and carriage and load	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/29 17:49
S49	132	motor and storage and (control adj3 unit) and (constant adj3 speed) and carriage and load and temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/01 09:58
S51	18985062	@pd < "20020204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/29 17:39
S52	1	S49 and S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/29 17:45
S53	4	S48 and S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/29 17:49
S54	3	(motor near3 load\$1) and storage and (control adj3 unit) and (constant adj3 speed) and carriage and temperature and PID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/29 18:10
S55	14	(motor near3 load\$1) and storage and (control adj3 unit) and (constant adj3 speed) and carriage and temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/29 18:38

S56	35	(motor near3 load\$1) and storage and (control adj3 unit) and (constant adj3 speed) and carriage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/29 19:06
S57	531	(motor near3 load\$1) and carriage and temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/29 19:06
S58	2	"20020172510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/30 11:31
S59	420	318/800.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/30 11:46
S62	2	S59 and (motor and (stoarage or memory) and (contorl adj3 unit) (printer or carriage) and temperature and pid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/30 14:31
S63	5	S59 and carriage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/30 11:35
S64	1003	318/560.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/30 11:46
S65	. 5	("5617122" "5934398" "5977737" "6019448" "6446745").PN. OR ("6674260"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/30 12:44
S66	5141	carriage and temperature and printer and motor	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/30 12:45
S67	18985062	@pd < "20020204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/30 12:45
S68	132	S66 and S67	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/30 12:45

S69	5627	motor and carriage and temperature and (profile parameters)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/30 14:44
S70	1849	S69 and printer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/30 14:32
S71	55	S70 and S67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/30 14:33
S72	230	motor and carriage and temperature and (profile parameters) and (speed adj3 (profile constant memorized))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/30 14:48
S73	6	S72 and S67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/30 14:47
S74	. 53	motor and carriage and temperature and (profile parameters) and (speed adj3 profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/30 14:48
S75	19	S74 and printer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/30 16:43
S76	1822	(constant adj3 speed) and temperature and carriage and motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/30 16:47
S77	496	S76 and printer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/30 16:47